

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 04/04/2018 Supersedes: 04/03/2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Identifier

Product Name: Badger Gold (024B)

1.2. Intended Use of the Product

Use of the substance/mixture: Form Release Agent

1.3. Name, Address, and Telephone of the Responsible Party

Company

Badger Forms 34011 Etiwanda Avenue, Number 931B Jurupa Valley, CA 91752 951-360-0852

http://www.badgerforms.com/

1.4. Emergency Telephone Number Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

Version: 1.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Acute Tox. 4 (Inhalation:dust,mist) H332
Carc. 2 H351
Repr. 2 H361
STOT RE 1 H372

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H225 - Highly flammable liquid and vapor

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, open flames, sparks. - No smoking

P233 - Keep container tightly closed P261 - Avoid breathing mist, spray, vapors

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear eye protection, protective clothing, protective gloves

04/04/2018 EN (English US) 1/7



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P370+P378 - In case of fire: Use appropriate media for extinction

P391 - Collect spillage

P233 - Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to local, regional, national, and international regulations

2.3. Other Hazards

No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

| Name | Product Identifier | % | Classification (GHS-US) |
|--|---------------------|-------|-------------------------|
| Distillates, petroleum, hydrotreated light | (CAS No) 64742-53-6 | 97-99 | Skin Irrit. 2, H315 |
| naphthenic | | | Eye Irrit. 2A, H319 |
| | | | Carc. 1B, H350 |
| | | | Repr. 2, H361 |
| | | | STOT RE 1, H372 |
| | | | Asp. Tox. 1, H304 |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: May cause respiratory irritation. Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

04/04/2018 EN (English US) 2/7



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chronic Symptoms: May cause cancer. May damage fertility. May damage the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Slightly combustible. OSHA/NFPA Class III B Combustible Liquid **Explosion Hazard:** May form flammable/explosive vapor-air mixture. **Reactivity:** Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Collect spillage. Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

Precautions for Safe Handling: Use only outdoors or in a well-ventilated area. Avoid breathing vapours, mist, spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only non-sparking tools. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Incompatible Materials: Heat sources.

04/04/2018 EN (English US) 3/7



Safety Data Sheet

Vapor Pressure

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Area: Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific End Use(s) Form release agent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

8.2. Exposure Controls

Appropriate Engineering Controls : Ensure all national/local regulations are observed. Gas detectors should be used

when flammable gases/vapours may be released. Proper grounding procedures to

avoid static electricity should be followed.

Personal Protective Equipment : Insufficient ventilation: wear respiratory protection. Gloves. Protective goggles.

Protective clothing.









Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection : Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever

exposure may exceed established Occupational Exposure Limits.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: Thin. Clear.Odor: Low.

Odor Threshold : No data available : No data available Relative Evaporation Rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : Slower than ether **Melting Point** : No data available **Freezing Point** : No data available : 204.44 °C (400 °F) **Boiling Point Flash Point** : 145 °C (293 °F) **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available

Relative Vapor Density at 20 °C: Heavier than airRelative Density: No data availableSolubility: No data availableLog Pow: No data available

04/04/2018 EN (English US) 4/7

: No data available



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Kow: No data availableViscosity: No data available

9.2. Other Information

VOC content : < 160 g/l

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity: Hazardous reactions will not occur under normal conditions.
- **10.2** Chemical Stability: May form flammable/explosive vapor-air mixture.
- **10.3** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4 Conditions to Avoid:** Sparks, heat, open flame and other sources of ignition. Extremely high or low temperatures. Direct sunlight.

10.5 Incompatible Materials: Strong acids. Strong oxidizers. Amines.

10.6 Hazardous Decomposition Products: Carbon oxides (CO, CO2). May release flammable gases.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if inhaled.
Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified
Germ Cell Mutagenicity: Not classified
Carcinogenicity: Suspected of causing cancer.

| Distillates, petroleum, hydrotreated light napthenic (64742-53-6) | |
|---|-----------------------------|
| National Toxicity Program (NTP) Status | Evidence of Carcinogenicity |

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating. Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. Chronic Symptoms: May cause cancer. May damage fertility. May damage the unborn child.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

| Distillates, petroleum, hydrotreated light naphthenic (64742-53-6) | |
|--|--|
| LC50 Fish 1 | > 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| EC50 Daphnia 1 > 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |

12.2. Persistence and Degradability

| Badger Gold (024B) | |
|-------------------------------|--|
| Persistence and Degradability | Not established. May cause long-term adverse effects in the environment. |

04/04/2018 EN (English US) 5/7



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative Potential

| Badger Gold (024B) | | |
|--------------------|---------------------------|------------------|
| | Bioaccumulative Potential | Not established. |

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name : NOT REGULATED BY DOT

Hazard Class : Not Applicable

Identification Number : N/A

Label Codes : Not regulated by DOT

Packing Group : III ERG Number : 128

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

 $\hbox{U.S. - Massachusetts - Right To Know List}\\$

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: OTHER INFORMATION

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard

Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
|-------------------------------------|--|
| Asp. Tox. 1 | Aspiration hazard Category 1 |
| Carc. 1B | Carcinogenicity Category 1B |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Repr. 1A | Reproductive toxicity Category 1A |
| Repr. 2 | Reproductive toxicity Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |

04/04/2018 EN (English US) 6/7



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| STOT RE 1 | Specific target organ toxicity (repeated exposure) Category 1 |
|-----------|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H350 | May cause cancer |
| H351 | Suspected of causing cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H372 | Causes damage to organs through prolonged or repeated exposure |
| H402 | Harmful to aquatic life |

Limited Warranty: Subject to the conditions and limitations stated below, Badger Forms warrants this product to be free from manufacturing defects for a period of one (1) year from the date of purchase of the product. As conditions of this limited warranty, you may be required. At the option of Badger Forms to provide proof of product purchase and use. DISCLAMER: THIS LIMITED WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES BASED ON SAMPLES OR ORAL STATEMENTS, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. IMPLIED WARRANTIES OF MERCHANDIBILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED. EXCLUSIVE REMEDY: The sale and exclusive remedy for a breach of this limited warranty is replacement of the Badger Forms product that is proven defective. In the event this sole and exclusive remedy fails of its essential purpose, the liability of Badger Forms is limited to return of the original purchase price. EXCLUSION: Badger Forms is not responsible for workmanship not in accordance with Badger Forms instructions and industry standard guidelines. Badger Forms IS NOT LIABLE FOR ANY INCIDENTAL DAMAGES OR CONSEQUENTIAL DAMAGES, INCLUDING LOSSES DUE TO DELAYS, INCURRED BY THE PURCHASER OR ANY OTHER PARTY.

DISCLAIMER

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the manufacturer knowledge; however, the manufacturer makes no warranty whatsoever expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The manufacturer assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.

SDS US (GHS HazCom) - US Only 10 pt 2

04/04/2018 EN (English US) 7/7